State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

High Capacity, School or Wastewater Treatment Plant Well Approval Application

Form 3300-256 (R 7/05)

MAR 2 4 2014

Page 1 of 6

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Gode. Personally identifiable information collected on this form, including such data as your name, address and phone number will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

Applicant Information						Att to was a first of the
Application Prepared By (Name and Title)		Company				
CASEY KEDROWSKi		Kose	Rts IR	RIGATION		
Street Address		City			State	ZIP Code
1500 POST RD		Plo	KR		WI	54467
Telephone Number	ax Number		E-Mail Add			
715-344-4747	715-344-450	5	KEDI	eowski940	Hote	MAIL. COM
Property Ownership Information			性的数据的 2000年		2.45.20 2.45.20	
Property owner, if different than applicant (N	ame of Person and Title)	Company				
Colen + MARY OTTO)				Total or	
Street Address		City 🕡			State	ZIP Code
W3599 STATE RD Z	3	TRI	meeton		WI	54968
Telephone Multiper	ax Number		E-Mail Add	ress		
920-295-8729						
Well Operator Information		是数规则			AUS.	
Well operator if different than owner (Name of	of Person and Title)	Company				80.00
SAME						,
Street Address		City			State	ZIP Code
Telephone Number Fa	ax Number		E-Mail Add	ress		
	[8] ()					en cerce en an a
Property Information						
Enter the High Capacity Well File Number below property at the time of application, enter "NONE	w if the property is already a	high capacity	property. If	the property is not	designa ent hiah	ited as a high capacity capacity
or use the compact disk of departmental well disk	ata that is issued to drillers an	d oump insta	llers. On the	compact disk, see	: "File lo	cation" in red print in
"Location" section. File number format is as foll	lows: (1 or 2 digits for county)	- (1 digit for v	vell classific	ation) - (1 to 4 digit	s for ass	signed property no.).
County	Town			High Capacity We		
GREEN LAKE	RINCETO	U	C. F 48 7 5		e 111111	
Submittal Furbose		eti itti ini			day to	
Check all that apply:						
Install one or more new wells with a c	10 C.E. COT					
Install one or more new wells with a c				capacity proper	ty.	
Replace one or more wells with a cap						
Replace one or more wells with a cap				apacity property.		
Reconstruct one or more wells with a						
Reconstruct one or more wells with a					erty.	
Increase pumping rate in one or more	wells to a rate greater tha				5 <u>0</u> 6 97	•
				anligation for ro	nuired	1
Request continued operation of high of	capacity wells after a chang	ge in owners	ship. (No a	application ree re	quireu.	,
Renew a previous approval that has e	expired.				quireu.	,
- 2	expired.				quireo.	1

		tus Information					
and	the i	ne the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers information supplied by the property owner. Internet address is dnr.wi.gov/org/water/dwg/dws.htm . Enter YES or NO for each lowing questions.					
YE	S NO						
	Q.						
	K	Has there been a change in well operator since the last approval was written? If YES, name of current operator: Date of change:					
	X	Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.					
		Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections. If YES, list the landfill site ID Number: OR Landfill location: (Township/Range/Section)					
		Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and Redevelopment Tracking System) Number here and specify if the site is open or closed:					
	X	Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:					
	风	Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use restriction? See compact disk or internet at maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts . If YES, list the BRRTS Number here:					
	囚	Is a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a "public water system" in the definitions section on page 5.					
	X	Is a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.					
	区	the state of the s					
	X	the state of the s					
	X	Is a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in use?					
	X	Will the well discharge directly to a storage pond?					
	X	Is a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?					
	X	Is a proposed well within 1,200 feet of a quarry?					
		Is a proposed well located in a floodplain or floodway?					
	Ø	Are any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Administrative Code?					
	又	Will the well be used as a source of bottled water?					
		Are you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well construction standards?					
7	X	Is the property served by a community water system?					

Existing Well Information								
Enter the following information o	n all existing	wells on the	property, if	more than fo	ur wells, subn	nit additional	sheets:	
Well Name Assigned by Well Owner (North Well, etc.):	House	WEI(SEE	ATTACKED	-			
Well Number Assigned by Owner (001, 002, etc.):								
Wi Unique Well Number or NA if no number.								
Permanent DNR High Capacity Well Number or N/A if none:								
Public Water System ID Number, if Public (if not public, NONE):								
Potable or Non-Potable Use:								
Type of Well (Irrigation, Industrial, Residential, etc.):								
Requested Average Water Usage per Day in Gallons:	r							
Requested Maximum Water Usage per Day in Gallons:								
Seasonal? (April to October, Year Around, etc.):								
Approved Pumping Capacity if Previously Approved (gpm):								
Current Pump Type & Capacity (gpm)):							
Proposed Pump Type & Capacity If Change Requested (gpm):								
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):	Pitless	išto Baseme	yt .					······································
Discharge Location (Building Pressure Tank, Pond, etc.):	Pres	iito Baseme sure Taux	4					
Height of Well Casing Above Ground In Inches:								
Potential Contaminant Sources and Distance:								
Well Loc: Quarter Quarter Section	N W1/4	of SW 1/4	1/4	of <u>1/4</u>	1/4	of 1/4	1/4 (of 1/4
or Government Lot Number								
Section or French Long Lot No.	21							
Township:	T 16	N	Т	N	т	N	Т	N N
Range (Select E or W):	R 12	XE □w	R	□E □w	R	Ew	R	□E □w
Latitude (Degrees and Minutes)	4305	0.121	0		• •			
Longitude (Degrees and Minutes)	08900	3.738'	0					
GPS Map Datum (WGS84,	GARMINHA	wiele					1	
WTM91, etc.) Include as much of the following inform	nation as pract	ical for wells th	nat do not hav	e well constru	ction records at	ttached to the	application, hov	wever if the
well construction record is attached, ap	oplicant may le	ave the follow	ing rows blan I	K			I	
Date of Construction:	Unknow	ישית					<u> </u>	
Drilled by (Name of Drilling Firm):	· · · · · ·					~		
Drilling Method(s) (Rotary, Percussion, Etc.)	? ·							
Well Depth in Feet:	()							
Upper Enlarged Drillhole Diameter In Inches and Depth in Feet:	Inches,	feet	inches,	feet	inches,	<u>feet</u>	inches,	feet
Lower Drillhole Diameter in Inches and Depth in Feet:	Inches,	<u>feet</u>	Inches,	feet	inches,	feet	inches,	<u>feet</u>
Well Casing Diameter in Inches and Depth in Feet:	6 inches,	2_feet	inches,	feet	inches,	feet	inches,	feel
Well Casing Material and Wall Thickness:								
Annular Space Material Between Casing and Drillhole Wall:								
Is There a Well Screen (Y or N) If so, Screen Material?:	: :							

Proposed Well Information		The second secon	<u>i Alberto escue per per</u>
Enter the following information on a	all proposed wells on the property, if more than two we	lls or alternate construction, submit	additional sheets:
Well Name Assigned by Well Owner (North Well, etc.):	Home Irrigation		
Well Number Assigned by Owner (001, 002, etc.):			
Well Loc: Quarter Quarter Section or French Long Lot Number	NE 1/4 of SW 1/4 of Section 27	1/4 of 1/4 o	of Section
or Government Lot Number			
Township & Range (Select E or V	1) T 16 N, R /2 DE UW	/ T N, R	Ew
Latitude (Degrees and Minutes)	43 · 50.058 ·	0	· t
Longitude (Degrees and Minutes)	089 0 03.007	0	.* <u> </u>
GPS Map Datum (WGS84, WTM91, etc.)			
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: Iria Ation Potable Non-Potable	Type:	Potable Non-Potable
Drilling Method(s) (Rotary,			
Percussion, Etc.): Anticipated Geological Materials and	Dual Fothyy Depths that Are Expected During Drilling:		
Material and Depth Interval:	SAND/Clas from 0' to 15	from	O' to
Material and Depth Interval:	Line Rock from 15 ' to 50 '	from	' to
Material and Depth Interval:	Savestoure from 50 to 350	from	' to
Material and Depth Interval:	from ' to '	from	' to
Material and Depth Interval:	from ' to '	from	' to
Drillhole Diameter and Anticipated De		KOH	
Diameter and Depth Interval:	16 from 0 1 to 350 1	from	' to
Diameter and Depth Interval:	from ' to '	from	¹ to
Diameter and Depth Interval:	from ' to ' '	from	' to '
	and Wall Thickness at Anticipated Depth Intervals:		
Diameter and Wall Thickness at Depth Interval:	20 "diam/ 375 " thick 0' to 40 '	" diam/ " thick	0' to '
Diameter and Wall Thickness at Depth Interval;	16 "diam/ 375" thick 0 to 40 '	" diam/ " thick	' to '
Permanent Casing or Liner Material ,	<u> </u>	GGT0 UNON	
Casing Joints (Welded, T and C, etc.)	Welder		
Material and Weight			
at Depth Interval; Material and Weight	Cement Loront 165/foot 0' to 40'	/ lbs/foot	0' to '
at Depth Interval:	/ lbs/foot 'to '	/ lbs/foot	' to '
Screen Material, Slot Size in Inches and Depth Interval or N/A if none:	/ "/ 'to '	1 "1	' to ¹
Casing to Screen Joint (Welded, T and C, K Packer, etc.)			
Annular Space Material Including Filte	Pack Material, If Used:		
Material and Depth Interval:	/ 0' to '	1	0' to '
Material and Depth Interval:	/ ' to '		' to '
Proposed Average Water Usage Per Day in Gallons:	574,000		
Proposed Maximum Water Usage Per Day in Gallons:	1152000		
Seasonal? (April to October, Year Around, etc.):	oct April - Oct		
Proposed Pump Type & Capacity (gpm):	Turbine Soggam		
Discharge Type (Over Top of Casing Seal, Pilless Adapter or Unit):	overtop		
Discharge Location (Building Pressure Tank, Pond, etc.):	Irrigation Price	LOCALITY OF THE STATE OF	
Distance and Direction to Nearest Public Utility Well & Well Name:	Princeton 4mi NW		
Distance to Other Potential Contaminant Sources:	-		
Distance to Other Potential Contaminant Sources:			
eave Blank, for Department use only	Ì		

Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
 - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
 - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- 6. If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the
 application is only for continued operation after a change of ownership.

Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print	HAPP Pater	ts Irrigation Co In 1	heck Box Owner Agent of the Owner
Signaturel	<u> 1700 î. 130 DET </u>	Company Kohenta has Co	Inc 3-21-14
Application submittal. M	Mail completed application 7921, Madison WI 53707	and payment with all required attachn -7921.	nents to DNR, Private Water Systems

Definitions from Wisconsin Administrative Codes

"High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]

"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]


"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]

EAST PRINCETON



T.15-16N.-R.12E.



RIPON LAND SURVEYING DM. GREEN AND ASSOCIATES, INC., ENGINEERING

> DENNIS M. GREEN. P.E. AND R.L.S.

P.O. BOX 386 827 W. FOND DU LAC ST. RIPON, WI 54971

ALL TYPES OF COMMERCIAL AND RESIDENTIAL SURVEYS DRAINAGE PLANS, ROAD DESIGN, SANITARY SEWER AND WATERMAIN DESIGNS TOPOGRAPHICAL. SURVEYS & SUBDIVISIONS

SERVING THE AREA FOR OVER 50 YEARS

> PHONE / FAX: (920) 748-9696

E-MAIL: riponls@charterinternet.net

General Public Land Information

Public conservation areas, wildlife refuges, parks and forest lands are illustrated throughout this book. Please note that private lands may be located within these areas and they are not always open for public access. The DNR may or may not lease lands within these areas, so please look for posted signs and contect the Facilities and Lands Bureau of the WLDNR at 608-266-2138 for specifics. You may also find more detailed land information at http://www.dir.wi.gov/org/land/facilities/dir_lands_mapping_land DNR Service Center + 427 E Tower Dr. Suite 1001 • Wantoma, WI 54082 • 920-787-2686

Forest Crop Land

Parcels of fand which are designated FCL risorest Crop Lands may be open to the public for hunting and fishing. Landowners may prohibit other activities in accordance with Wisconsin Statute 77.01 and Administrative Code NR 46.

Managed Forest Lands

MHL designated properties are not shown in this plan book edition due to the partial legal descriptions and the continually changing nature of these lands. To determine if private land is emolled in the Menaged Forest Law program please contact your local Wisconsin DNR office. MEL properties may or may not be open for public access and it is your responsibility to check with the fundowners to extermine access. Access may be restricted within 300 feet of any building or commercial largeing operation in accordance with Wiscorson Statute 77.83 (2) (a) and (2) (b). Printons of proporties that are open or closed are available through the Wiscorson DNR current http://dnr.wi.gov/org/land/forestry/frax/orderfrm htm.